



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C11D 3/22, D06M 15/03, 15/05	A1	(11) International Publication Number: WO 00/18862 (43) International Publication Date: 6 April 2000 (06.04.00)
(21) International Application Number: PCT/EP99/07424 (22) International Filing Date: 23 September 1999 (23.09.99) (30) Priority Data: 9821218.6 30 September 1998 (30.09.98) GB (71) Applicant (for AE AU BB CA CY GB GD GH GM IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZA ZW only): UNILEVER PLC (GB/GB); Unilever House, Blackfriars, London EC4P 4BQ (GB). (71) Applicant (for all designated States except AE AU BB CA CY GB GD GH GM IE IL IN KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZA ZW): UNILEVER NV [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (71) Applicant (for IN only): HINDUSTAN LEVER LIMITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, Mumbai 400 020 (IN).		(72) Inventors: BIJSTERBOSCH, Henri; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside CH63 3JW (GB). COOKE, Deborah; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside CH63 3JW (GB). JONES, Neil; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside CH63 3JW (GB). KHOSHDEL, Ezat; Unilever Research Port Sunlight, Quarry Road East, Bebington, Wirral, Merseyside CH63 3JW (GB). (74) Agent: FRANSELLA, Mary, Evelyn; Unilever PLC, Patent Dept., Colworth House, Sharnbrook, Bedford, Bedfordshire MK44 1LQ (GB). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: TREATMENT FOR FABRICS (57) Abstract <p>A water-soluble or water-dispersible material for deposition onto a fabric substrate during a treatment process. The material comprises a β_{1-4}-linked polysaccharide structure having at least one substituent benefit group and optionally, one or more other substituent groups. The average degree of substitution of all substituent groups is from 0.01 to 1.2, preferably from 0.1 to 1.2, more preferably from 0.4 to 1.2. The polysaccharide structure has one or more regions with at least 3, preferably at least 4 consecutive unsubstituted saccharide rings.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Treatment for Fabrics

5 Technical Field

The present invention relates to a material comprising a benefit agent and a deposition aid for deposition of the benefit agent onto a fabric. It further relates to a method of depositing a benefit agent from solution or dispersion, onto a fabric.

10

Background of the Invention

The deposition of a benefit agent onto a fabric is well known in the art. In laundry applications typical "benefit agents" include fabric softeners and conditioners, soil
15 release polymers, sunscreens; and the like. Deposition of a benefit agent is used, for example, in fabric treatment processes such as fabric softening to impart desirable properties to the fabric substrate.

Conventionally the deposition of the benefit agent may rely upon the attractive forces
20 between the oppositely charged substrate and the benefit agent. Typically this requires the addition of benefit agents during the rinsing step of a treatment process so as to avoid adverse effects from other charged chemical species present in the treatment compositions. For example, cationic fabric conditioners are incompatible with anionic surfactants in laundry washing compositions.

25

Such adverse charge considerations can place severe limitations upon the inclusion of benefit agents in compositions where an active component thereof is of an opposite charge to that of the benefit agent. For example, cotton is negatively charged and thus requires a positively charged benefit agent in order for the benefit agent to be

- 2 -

substantive to the cotton, i.e. to have an affinity for the cotton so as to absorb onto it. Often the substantivity of the benefit agent is reduced and/or the deposition rate of the material is reduced because of the presence of incompatible charged species in the compositions.

5

The deterging nature of laundry wash compositions also places severe limitations upon the inclusion of neutral but hydrophobic or oily benefit agents which are not effectively deposited in the presence of surfactant.

10 Alternatively, when deposition of a conventional benefit agent is effected by mechanisms that do not rely upon charge interaction but upon other non-covalent forces, for example soil release polymers, other problems may occur, namely where interaction of an anionic surfactant with the benefit agent can also make the material so negatively charged and/or soluble as to overcome the other attractive interactions.

15

Furthermore, there is frequently another complication in achieving optimum deposition of a benefit agent onto a fabric, in that, the need for solubility of the benefit agent in the medium used to treat the substrate is in principle, incompatible with the requirement for of the benefit agent to deposit/adsorb onto the substrate.

20

The present invention is directed towards materials for solving one or more of the above problems.

WO-A-98/00500 discloses detergent compositions comprising a peptide or protein
25 deposition aid having a high affinity for fibres or a surface, and a benefit agent attached/adsorbed to the deposition aid. However, the peptide or protein is a relatively expensive material and the need still exists to find a more cost effective alternative material as a vehicle for depositing a benefit agent.

Our unpublished copending European Patent Application No. 98300292.4 discloses polysaccharide or oligosaccharide conjugates with an attached entity (e.g. a protein or an enzyme) having a molecular weight of at least 5,000. Although the poly/oligosaccharide is capable of binding to cellulose, there is no teaching of the molecular requirements for optimising the balance between water solubility and fabric affinity.

GB-A-948 678 discloses a process for dyeing and printing textiles using an aqueous preparation containing organic dyestuff residues linked by a covalent bond to high molecular weight polymers such as cellulose ethers, cellulose derivatives, starches, gums and other related naturally occurring polymers. Cellulose derivatives with a degree of substitution of 0.1 for carboxymethyl substituents are recited explicitly. However, these carboxymethyl groups and the dyestuff residues are not "benefit agent groups" within the sense intended herein.

US-A-4 668 779 discloses a gel in the form of a complex between a metallic oxide and a semi-synthetic polygalactan. This is described for use in microbiological analysis. There is no disclosure of chemical bonding between a substance and the polysaccharide and certainly no substituent group which is in any way a benefit agent group for conferring a benefit to a fabric.

US-A-5 160 641 and US-A-5 540 850 disclose cellulose ether derivatives for use as anti-redeposition agents in fabric washing compositions. Substantially all of the saccharide rings are substituted. Furthermore, there is no mention of substituents which are themselves, benefit agent groups.

WO-A-95/30042 discloses a gel composition for use in the manufacture of treated fabrics. It comprises a cellulose based carrier with a solvent and a material for conferring a speciality finish, e.g. waterproofing, softening or anti-static effect. However, the speciality finish agent is not bonded to the cellulosic gel. Further, there is

no disclosure or suggestion of use during washing, rinsing or drying of fabric by a consumer.

WO-A-98/29528 discloses cellulose ethers in which some substituents are
5 (poly)alkoxylated, analogues of the latter in which the (poly)alkoxylated groups are terminated with a cationic moiety in the form of a quaternary ammonium group, and cellulose ethers in which some substituents are carboxylic acids in the salt form (i.e. the materials are essentially carboxymethylcellulose variants). As defined by the general formulae in WO-A-98/29528, none of these molecules has regions of unsubstitution, as
10 required by the present invention.

WO-A-99/14245 discloses laundry detergent compositions containing cellulosic based polymers to provide appearance and integrity benefits to fabrics. These polymers are cellulosic polymers in which the saccharide rings have pendant oxygen atoms to which
15 substituents 'R' can be hydrogen, lower alkyl or alkylene linkages terminated by carboxylic acid, ester or amide groups. Optionally, up to five alkyleneoxy groups may be interspersed between the groups are the respective oxygen atom. WO-A-99/14295 discloses structures analogous to those described in WO-A-99/14245 but in one alternative, the substituents 'R' together with the oxygen on the saccharide ring,
20 constitute pendant half-esters of certain dicarboxylic acids. As described in both of these documents, none of the pendant groups is a benefit agent group.

The present invention relates to materials for achieving initial solubility or dispersibility in the medium used to treat the fabric and effective deposition of one or more benefit-
25 endowing groups thereon.

Definition of the Invention

Accordingly, a first aspect of the present invention provides a water-soluble or water-
30 dispersible material for deposition onto a fabric substrate during a wash and/or rinse

- 5 -

and/or drying process, wherein the material comprises a β_{1-4} -linked polysaccharide structure having at least one substituent benefit agent group and optionally, one or more other substituent groups, wherein the average degree of substitution of all substituent groups is from 0.01 to 1.2, preferably from 0.1 to 1.2, more preferably from 0.4 to 1.2, the polysaccharide structure having one or more regions with at least 3, preferably at least 4 consecutive unsubstituted saccharide rings.

A second aspect of the present invention also provides a method of depositing a benefit agent onto a fabric by its incorporation in a material according to the first aspect of the invention and applying said material to the fabric.

A third aspect of the present invention also provides compositions comprising a material according to the first aspect of the present invention. In particular, such compositions preferably comprise one or more surfactants.

Detailed Description of the Invention.

The Material

The material of the present invention is water-soluble or water-dispersible in nature and comprises a β_{1-4} -linked polysaccharide structure and at least one substituent benefit agent for deposition onto a fabric during a treatment process.

A polysaccharide comprises a plurality of saccharide rings which have pendant hydroxyl groups. The benefit agent group(s) and optionally, any other substituent(s) can be bonded chemically to these hydroxyl groups by any means described hereinbelow. The "degree of substitution" means the average number of substituents per saccharide ring for the totality of polysaccharide molecules in the sample and is determined for all saccharide rings whether they form part of a linear backbone or are themselves pendant side groups in the polysaccharide.

Preferably, the substituent benefit agent group(s) is/are attached to the polysaccharide by a hydrolytically stable bond. That means that the bonding of the substituted benefit agent(s) should be sufficiently stable so as not to undergo substantial hydrolysis in the environment of the treatment process for the duration of that process. For example, in laundry cleaning applications, the material should be sufficiently stable so that the bond between the benefit and deposition enhancing part does not undergo hydrolysis in the wash liquor, at the wash temperature, before the benefit agent has been deposited onto the fabric.

10

Preferably, the bond between the substituent benefit agent(s) and the polysaccharide is such that the decay rate constant (k_d) of the material in an aqueous solution at 0.01 wt% of the material together with 0.1 wt% of anionic surfactant at a temperature of 40°C at a pH of 10.5 is such that $k_d < 10^{-3} \text{ s}^{-1}$.

15

By water-soluble, as used herein, what is meant is that the material forms an isotropic solution on addition to water or another aqueous solution.

By water-dispersible, as used herein, what is meant is that the material forms a finely divided suspension on addition to water or another aqueous solution.

20

Deposition onto a substrate includes deposition by adsorption, co-crystallisation, entrapment and/or adhesion.

25 Polysaccharide

The β -1,4-linked polysaccharide structure is chosen for having an affinity for cellulose, viscose and similar fibres. Suitable such polysaccharides include cellulose, mannan and glucomannan. It may be straight or branched. Many naturally occurring polysaccharides have at least some degree of branching, or at any rate, at least some

30

saccharide rings are in the form of pendant side groups on a main polysaccharide backbone. The polysaccharide may be charged or uncharged, although uncharged types are generally preferred.

- 5 The polysaccharide may be a synthetic polysaccharide, a naturally occurring polysaccharide or a modified naturally occurring polysaccharide. Preferably, it has a weight average molecular weight (M_w), as determined by GPC, of at least 1,000. In the case of naturally occurring polysaccharides, the M_w range will be typically from 100,000 to 2,000,000. For synthetic or modified naturally occurring materials, the M_w
10 will typically be from 10,000 to 50,000.

- Preferably, at least 5% of the saccharide rings are in the consecutive unsubstituted region(s). Most preferably, at least 80% of the unsubstituted region(s) contain no more than 100, especially no more than 50 consecutive unsubstituted saccharide rings. For
15 example, no more than 50% of the saccharide rings are in such regions. Also, for example, no region may have more than 100 (more preferably more than 50) consecutive unsubstituted saccharide rings.

Benefit Agent Group

20

- The benefit agent group may be any group which is used to impart desirable properties to the fabric upon which the material of the present invention is to be deposited. In practice, a material according to the present invention may comprise two or more benefit agent groups on the same molecule, either of the same kind or of different
25 kinds.

Preferably, the benefit agent group(s) is/are selected from any of the following:-

- (a) fabric softening and/or conditioning agents;

- (b) lubricants for inhibition of fibre damage and/or for colour care and/or for crease reduction and/or for ease of ironing;
- (c) UV absorbers such as fluorescers and photofading inhibitors, for example sunscreens/UV inhibitors and/or anti-oxidants;
- 5 (d) fungicides and/or insect repellents; and
- (e) perfumes.

Suitable fabric softening and/or conditioning agent groups are preferably chosen from those of the cationic detergent active type, and silicones. Those of the cationic
10 detergent active type are preferably selected from quaternary ammonium cationic molecules, for example those having a solubility in water at pH 2.5 and 20°C of less than 10g/l.

It is preferred for the ester-linked quaternary ammonium compounds to contain two or
15 more ester groups. In both monoester and the diester quaternary ammonium compounds it is preferred if the ester group(s) is a linking group between the nitrogen atom and an alkyl group. The ester groups(s) are preferably attached to the nitrogen atom via another hydrocarbyl group.

20 As used herein the term 'ester group', when used in the context of a group in the quaternary ammonium material, includes an ester group which is a linking group in the molecule.


Typical are quaternary ammonium compounds containing at least one ester group,
25 preferably two, wherein at least one higher molecular weight group containing at least one ester group and two or three lower molecular weight groups are linked to a common nitrogen atom to produce a cation and wherein the electrically balancing anion is a halide, acetate or lower alkylsulphate ion, such as chloride or methosulphate. The higher molecular weight substituent on the nitrogen is preferably a higher alkyl group,
30 containing 12 to 28, preferably 12 to 22, e.g. 12 to 20 carbon atoms, such as coco-alkyl,

tallowalkyl, hydrogenated tallowalkyl or substituted higher alkyl, and the lower molecular weight substituents are preferably lower alkyl of 1 to 4 carbon atoms, such as methyl or ethyl, or substituted lower alkyl. One or more of the said lower molecular weight substituents may include an aryl moiety or may be replaced by an aryl, such as benzyl, phenyl or other suitable substituents.

More preferably, the quaternary ammonium material comprises a compound having two long chain alkyl or alkenyl chains with an average chain length equal to or greater than C_{14} . Even more preferably each chain has an average chain length equal to or greater than C_{16} . Most preferably at least 50% of each long chain alkyl or alkenyl group has a chain length of C_{18} . It is preferred if the long chain alkyl or alkenyl groups are predominantly linear.

It is particularly advantageous if the cationic softening compound is a quaternary ammonium compound with two C_{12} - C_{22} alkyl or alkenyl groups connected to a quaternary ammonium group via at least one ester link, preferably two ester links, or else a compound with a single long chain with an average chain length greater than or equal to C_{20} . Examples of cationic softeners are described in US-A-4 137 180 and WO-A-93/23510.


The most preferred type of ester-linked quaternary ammonium material that can be used as benefit agent group(s) is represented by the formula (A):




wherein R^1 , n , R^2 and X^- are as defined above.

It is advantageous for environmental reasons if the quaternary ammonium material is biologically degradable.

- Preferred materials of this class such as 1,2 bis[hardened tallowoyloxy]-3-trimethylammonium propane chloride and their method of preparation are, for example, described in US-A-4 137 180. Preferably these materials comprise small amounts of the corresponding monoester as described in US-A-4 137 180 for example 1-hardened tallow-oyloxy-2-hydroxy-3-trimethylammonium propane chloride.
- Another class of preferred ester-linked quaternary ammonium materials for use as benefit agent group(s) can be represented by the formula:



- wherein each R^1 group is independently selected from C_{1-4} alkyl, hydroxyalkyl or C_{2-4} alkenyl groups; and wherein each R^2 group is independently selected from C_{8-28} alkyl or alkenyl groups; X^- is any suitable counter-ion, i.e. a halide, acetate or lower alkylsulphate ion, such as chloride or methosulphate.



20


n is an integer from 1-5 or is 0

It is especially preferred that each R^1 group is methyl and each n is 2.

Of the compounds of formula (B), Di-(tallowyloxyethyl)-dimethyl ammonium chloride, available from Hoechst, is the most preferred. Di-(hardened tallowyloxyethyl)dimethyl ammonium chloride, ex Hoechst and di-(tallowyloxyethyl)-methyl hydroxyethyl methosulphate are also preferred.

5

Another preferred class of quaternary ammonium cationic fabric softening agent for use as the benefit agent group(s) is defined by formula (C):-



10

where R^1 , R^2 and X are as hereinbefore defined.

A preferred material of formula (C) is di-hardened tallow-diethyl ammonium chloride, sold under the Trademark Arquad 2HT.

15

It is also possible to use certain mono-alkyl cationic surfactants which on their own can be used in main-wash compositions for fabrics. Cationic surfactants that may be used include quaternary ammonium salts of the general formula $R_1R_2R_3R_4N^+ X^-$ wherein the R groups are long or short hydrocarbon chains, typically alkyl, hydroxyalkyl or ethoxylated alkyl groups, and X is a counter-ion (for example, compounds in which R_1 is a C_8 - C_{22} alkyl group, preferably a C_8 - C_{10} or C_{12} - C_{14} alkyl group, R_2 is a methyl group, and R_3 and R_4 , which may be the same or different, are methyl or hydroxyethyl groups); and cationic esters (for example, choline esters).

20

If the fabric softening and/or conditioning group(s) is/are silicones, these may for example be selected from those disclosed in GB-A-1 549 180, EP-A-459 821 and EP-A-459 822. However, these silicones if used for other benefits listed under the class (b) above, can be regarded as "lubricants". Other suitable lubricants include any of those known for use as dye bath lubricants in the textile industry.

Suitable photofading inhibitors of the sunscreen/UV inhibitor type are preferably molecules with an extinction co-efficient greater than $2000 \text{ l mol}^{-1} \text{ cm}^{-1}$ at a wavelength of maximal absorption. Typically for a sunscreen maximal absorption occurs at wavelengths of 290-370 nm, more usually 310-350 nm, especially 330-350 nm.

Examples of suitable sunscreens are given in *Cosmetic Science and Technology Series*, Vol. 15; Sunscreens; 2nd edition; edited by Lowe, Shoath and Pathak; *Cosmetics and Toiletries*; Vol. 102; March 1987; pages 21-39; and *Evolution of Modern Sunscreen Chemicals*; pages 3-35 both by N.A. Saarth.

In particular, suitable sunscreens include carboxylic acids or carboxylic acid derivatives, for example acrylates, cinnamates and benzoates or derivatives thereof, such as 4-methoxy cinnamate salicylates, PABA, 4-acetoxy benzoate dibenzoylmethanes, phenyl benzoimidazoles, aminobenzoates, benzotriazoles and benzophenones.

Suitable photofading inhibitors of the anti-oxidant type include benzofurans, coumeric acids or derivatives thereof, for example 2-carboxy benzofuran and bis(p-amine sulphonates) triazine, DABCO derivatives, tocopherol derivatives, tertiary amines and aromatic substituted alcohols eg butylated hydroxytoluene (BHT), Vitamin C (ascorbic acid) and vitamin E.

Suitable fungicides include 6-acetoxy-2,4-dimethyl-m-dioxane, diiodomethyl-p-tolysulphone, 4,4-dimethyloxaolidine, hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine,

sodium dimethyldithiocarbamate, sodium 2-mercaptobenzothiazole, zinc dimethyldithiocarbamate, zinc 2-mercaptobenzothiazole, sodium 2-pyridinethiol-1-oxide, sodium 2-pyridinethiol-1-oxide and N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide.

5

Suitable insect repellents include N-alkyl neoalkanamides wherein the alkyl is of 1 to 4 carbon atoms and the neoalkanoyl moiety is of 7 to 14 carbon atoms preferably N-methyl neodecanamide; N,N-diethyl meta toluamide (DEET), 2-Hydroxyethyl-n-octyl sulphide (MGK 874); N-Octyl bicycloheptene dicarboximide (MGK 264);

10 hexahydrodibenzofuran (MGK 11), Di-n-propyl isocinchomerate (MGK 326); 2-Ethyl-1,3-hexanediol, 2-(n-butyl)-2-ethyl-1,3-propanediol, dimethyl phthalate, dibutyl succinate, piperonyl butoxide, pyrethrum, Cornmint, Peppermint, American spearmint, Scotch spearmint, Lemon oil, Citronella, cedarwood oil, pine oil, Limonene, carvone, Eucalyptol, Linalool, Gum Camphor, terpineol and fencholic acid.

15

Suitable perfumes are commercially available and have an undisclosed molecular structure.

Other substituents

20

In addition to the benefit agent group(s), the materials according to the present invention optionally may also have one or more other pendant groups. Those are also taken into account when determining the degree of substitution. These may be the same or different and may for example be non-functional groups which are present as

25 artefacts in the naturally occurring material or from the process used to obtain a synthetic or modified naturally occurring material. However, it is possible for one or more of the non-benefit agent pendant groups to be provided for other purposes, e.g. for enhancing the solubility of the molecule. Examples of solubility enhancing substituents include carboxyl, sulphonyl, hydroxyl, (poly)ethyleneoxy- and/or (poly)propyleneoxy-

30 containing groups, as well as amine groups.

The other pendant groups preferably constitute from 0% to 65%, more preferably from 0% to 10% (e.g. from 0% to 5%) of the total number of pendant groups. The minimum number of the other pendant groups may, for example, be 0.1% or 1% of the total. The water-solubilising groups could comprise from 0% to 100% of those other groups but preferably from 0% to 20%, more preferably from 0% to 10%, still more preferably from 0% to 5% of the total number of other pendant groups.

Synthetic Routes

10

If the benefit is attached to the deposition polysaccharide this may be chemically bonded via a linking agent. However, direct chemical bonding may also be used, as described in more detail hereinbelow.

15 Suitable linking agents are molecules which show a high affinity for the benefit agent group. It is preferred if the linking agent is covalently attached to the backbone of the deposition enhancing part. It is also advantageous if the linking agent is covalently bound to the benefit agent group.

20 There are basically two general methods for preparing a water-soluble or water dispersable material comprising a β_{1-4} -linked polysaccharide and a substituent benefit agent.

According to one such method, the benefit agent(s) is/are grafted onto the
25 polysaccharide.

In a second alternative method, the benefit agent is grafted onto a precursor of the β_{1-4} -linked polysaccharide; and then the precursor is converted into the desired (modified) polysaccharide.

30

For both methods, the general method for preparing the polysaccharide may be achieved by a number of different synthetic routes, for example:-

- 5 (a) polymerisation of suitable monomers, for example, enzymatic polymerisation of saccharides, e.g. per S. Shoda, & S. Kobayashi, Makromol. Symp. 1995, 99, 179-184 or oligosaccharide synthesis by orthogonal glycosylation e.g. per H. Paulsen, Angew. Chem. Int. Ed. Engl. 1995, 34, 1432-1434.;
- 10 (b) derivatisation of a polysaccharide chain (either naturally occurring, especially polysaccharides, especially beta-1,4-linked polysaccharides, especially cellulose, mannan, glucomannan, galactomannan, xyloglucan; or synthetic polymers) up to the required degree of substitution with functional groups, using a reagent (especially acid halides, especially carboxylic acid halides, anhydrides, carboxylic acid anhydrides, carboxylic acids, carbonates) in a solvent which either dissolves the backbone, swells
15 the backbone, or does not swell the backbone but dissolves or swells the product).
- (c) hydrolysis of polymer derivatives (especially esters) down to the required degree of substitution; or
- 20 (d) a combination of any two or more of routes (a)-(c).

Many suitable β_{1-4} -linked polysaccharides are commercially available.

- The degree and pattern of substitution from routes (a) or (c) may be subsequently
25 altered by partial removal of functional groups by hydrolysis or solvolysis or other cleavage. In addition, or alternatively, the degree of polymerisation of the polysaccharide may be reduced before, during, or after the derivatisation with functional groups. For example, the relative proportions of reactants and/or the reaction time can be used to control the degree of substitution. The number of unsubstituted
30 regions may be controlled by choice of the solvent in which the reaction(s) is/are

performed, for example exploiting the polarity of the solvent and/or the degree to which reactant are soluble or misable in it (i.e. the degree to which the reaction mixture is homogenous or heterogenous). These techniques and how to apply then will be readily apparent to those skilled in the art of polymer chemistry. The degree of polymerisation
5 of the polysaccharide may be increased by further polymerisation or by cross linking agents before, during, or after the derivatisation step.

For both of the aforementioned methods, grafting the benefit agent onto the polysaccharide can be effected either:-

10

(a) by physical attraction between the benefit agent and the polysaccharide, especially the use of a block copolymer where one block has a physical affinity for the benefit agent and the other block can undergo a chemical change during treatment which increases its affinity for the fabric; or

15

(b) by grafting the benefit agent onto the polysaccharide using a bond which is relatively hydrolytically stable. For example, an ester bond can be used which is more stable than the one intended to undergo the chemical change but which is not be completely stable. For example a conjugated or aromatic ester. Such grafting can be
20 accomplished by reacting the polysaccharide or already-pre-modified polymeric backbone (especially cellulose esters, especially cellulose acetates) with a benefit-agent reagent (especially acid halides, especially carboxylic acid halides, anhydrides, carboxylic acid anhydrides, carboxylic acids, isocyanates, triazine derivatives, amines, hydrazines) in a solvent which dissolves the polysaccharide, swells the polysaccharide,
25 or does not swell the polysaccharide (depending on whether grafting the benefit agent first or last) but dissolves or swells the final product.

30

For the grafting, typically, radiation methods may be used, for example:-

- 5 1. *Grafting by mutual irradiation (The direct radiation grafting of the benefit group onto the polysaccharide).*

The mutual irradiation method is the simplest radiation-chemical method for producing graft copolymers. The procedure involves the irradiation of a polymeric substrate in the presence of a benefit group-containing monomer solution, preferably in the absence of
10 oxygen at around ambient temperature for a giving time and irradiation dose . It is known that most radiation-initiated polymerization proceeds by free radical mechanisms, and that it is initiated by the free radicals arising from the radiolysis of the either polymer or monomer , although the mutual irradiation is the most efficient
15 method of achieve grafting.

2. *Grafting on to radiation - peroxidized polysaccharide.*

In this method , the polymeric samples of polysaccharide are first irradiated, typically in the presence of air or pure oxygen atmosphere at around ambient temperature in the
20 absence any monomer or solvent to produce peroxide or hydroperoxides linkages by gamma irradiation. Subsequently, the graft copolymerization is initiated by the free radicals produced from the thermal decomposition of peroxide or hydroperoxides linkages under heating with a benefit agent monomer in the appropriate solvent.

- 25 Two different situations arise, depending on whether peroxides or hydroperoxides are formed in the irradiated polymer. Either, the peroxidation leads to peroxidized polymer or else it leads to hydroperoxides.

Grafting may also be effected by means of chemical grafting, for example using ceric ions (A. Habeish et al, J. Appl. Polym.Sci. 1971,15, 11-24) or using other conventional radical initiators such as potassium persulphate, e.g. per R.K. Samal, et al J. Polym. Mater. 1987, 4(3), 165-172.

5

In one example hereinbelow there is described a method of producing carboxymethyl cellulose with grafted fluorescer groups. There are a number of ways one can introduce fluorescent molecules onto carboxymethylcellulose. Generally most fluorescent molecules contain an amine functionality. A simple method will be the amidation of
10 these two molecules. If desired a water soluble coupling agent can also be employed.

Another method will be via a linking group such as cyanuric chloride (2,4,6-trichloro-1,3,5-triazine) as shown below. This can be conducted by reacting SCMC with cyanuric chloride, followed by reaction with the fluorescent molecule. The reaction sequences
15 can also be altered, i.e. reacting the fluorescent molecule with cyanuric chloride first and then reacting the adduct with SCMC. As fluorescent molecules are sensitive to light, the reaction is best to be carried out with a blacked out apparatus.

Compositions

20

The material according to the first aspect of the present invention may be incorporated into compositions containing only a diluent (which may comprise solid and/or liquid) and/or also comprising an active ingredient. The compound is typically included in said compositions at levels of from 0.01% to 25% by weight, preferably from 0.5% to 20%,
25 most preferably from 1% to 15%.

The active ingredient in the compositions is preferably a surface active agent or a fabric conditioning agent. More than one active ingredient may be included. For some applications a mixture of active ingredients may be used.

30

The compositions of the invention may be in any physical form e.g. a solid such as a powder or granules, a tablet, a solid bar, a paste, gel or liquid, especially, an aqueous based liquid.

- 5 The compositions of the present invention are preferably laundry compositions, especially main wash (fabric washing) compositions or rinse-added softening compositions. The main wash compositions may include a fabric softening agent and rinse-added fabric softening compositions may include surface-active compounds, particularly non-ionic surface-active compounds, if appropriate.

10

The detergent compositions of the invention may contain a surface-active compound (surfactant) which may be chosen from soap and non-soap anionic, cationic, non-ionic, amphoteric and zwitterionic surface-active compounds and mixtures thereof. Many suitable surface-active compounds are available and are fully described in the literature, for example, in "Surface-Active Agents and Detergents", Volumes I and II, by
15 Schwartz, Perry and Berch.

The preferred detergent-active compounds that can be used are soaps and synthetic non-soap anionic and non-ionic compounds.

20

The compositions of the invention may contain linear alkylbenzene sulphonate, particularly linear alkylbenzene sulphonates having an alkyl chain length of C_8-C_{15} . It is preferred if the level of linear alkylbenzene sulphonate is from 0 wt% to 30 wt%, more preferably 1 wt% to 25 wt%, most preferably from 2 wt% to 15 wt%.

25

The compositions of the invention may contain other anionic surfactants in amounts additional to the percentages quoted above. Suitable anionic surfactants are well-known to those skilled in the art. Examples include primary and secondary alkyl sulphates, particularly C_8-C_{15} primary alkyl sulphates; alkyl ether sulphates; olefin sulphonates;

alkyl xylene sulphonates; dialkyl sulphosuccinates; and fatty acid ester sulphonates. Sodium salts are generally preferred.

The compositions of the invention may also contain non-ionic surfactant. Nonionic
5 surfactants that may be used include the primary and secondary alcohol ethoxylates, especially the C_8 - C_{20} aliphatic alcohols ethoxylated with an average of from 1 to 20 moles of ethylene oxide per mole of alcohol, and more especially the C_{10} - C_{15} primary and secondary aliphatic alcohols ethoxylated with an average of from 1 to 10 moles of ethylene oxide per mole of alcohol. Non-ethoxylated nonionic surfactants include
10 alkylpolyglycosides, glycerol monoethers, and polyhydroxyamides (glucamide).

It is preferred if the level of non-ionic surfactant is from 0 wt% to 30 wt%, preferably from 1 wt% to 25 wt%, most preferably from 2 wt% to 15 wt%.

15 Cationic surfactants can also be used for fabric softening and/or rinse conditioning. These may for example be of the type mentioned hereinbefore for use as benefit agent groups.

The choice of surface-active compound (surfactant), and the amount present, will
20 depend on the intended use of the detergent composition. In fabric washing compositions, different surfactant systems may be chosen, as is well known to the skilled formulator, for handwashing products and for products intended for use in different types of washing machine.

25 The total amount of surfactant present will also depend on the intended end use and may be as high as 60 wt%, for example, in a composition for washing fabrics by hand. In compositions for machine washing of fabrics, an amount of from 5 to 40 wt% is generally appropriate. Typically the compositions will comprise at least 2 wt% surfactant e.g. 2-60%, preferably 15-40% most preferably 25-35%.

Detergent compositions suitable for use in most automatic fabric washing machines generally contain anionic non-soap surfactant, or non-ionic surfactant, or combinations of the two in any suitable ratio, optionally together with soap.

- 5 The compositions of the invention, when used as main wash fabric washing compositions, will generally also contain one or more detergency builders. The total amount of detergency builder in the compositions will typically range from 5 to 80 wt%, preferably from 10 to 60 wt%.
- 10 Inorganic builders that may be present include sodium carbonate, if desired in combination with a crystallisation seed for calcium carbonate, as disclosed in GB 1 437 950 (Unilever); crystalline and amorphous aluminosilicates, for example, zeolites as disclosed in GB 1 473 201 (Henkel), amorphous aluminosilicates as disclosed in GB 1 473 202 (Henkel) and mixed crystalline/amorphous aluminosilicates as disclosed in
- 15 GB 1 470 250 (Procter & Gamble); and layered silicates as disclosed in EP 164 514B (Hoechst). Inorganic phosphate builders, for example, sodium orthophosphate, pyrophosphate and tripolyphosphate are also suitable for use with this invention.

- The compositions of the invention preferably contain an alkali metal, preferably
- 20 sodium, aluminosilicate builder. Sodium aluminosilicates may generally be incorporated in amounts of from 10 to 70% by weight (anhydrous basis), preferably from 25 to 50 wt%.

- The alkali metal aluminosilicate may be either crystalline or amorphous or mixtures
- 25 thereof, having the general formula: $0.8-1.5 \text{ Na}_2\text{O} \cdot \text{Al}_2\text{O}_3 \cdot 0.8-6 \text{ SiO}_2$

- These materials contain some bound water and are required to have a calcium ion exchange capacity of at least 50 mg CaO/g. The preferred sodium aluminosilicates contain 1.5-3.5 SiO_2 units (in the formula above). Both the amorphous and the crystalline
- 30 materials can be prepared readily by reaction between sodium silicate and sodium

aluminate, as amply described in the literature. Suitable crystalline sodium aluminosilicate ion-exchange detergency builders are described, for example, in GB 1 429 143 (Procter & Gamble). The preferred sodium aluminosilicates of this type are the well-known commercially available zeolites A and X, and mixtures thereof.

5

The zeolite may be the commercially available zeolite 4A now widely used in laundry detergent powders. However, according to a preferred embodiment of the invention, the zeolite builder incorporated in the compositions of the invention is maximum aluminium zeolite P (zeolite MAP) as described and claimed in EP 384 070A (Unilever). Zeolite MAP is defined as an alkali metal aluminosilicate of the zeolite P type having a silicon to aluminium ratio not exceeding 1.33, preferably within the range of from 0.90 to 1.33, and more preferably within the range of from 0.90 to 1.20.

10

Especially preferred is zeolite MAP having a silicon to aluminium ratio not exceeding 1.07, more preferably about 1.00. The calcium binding capacity of zeolite MAP is generally at least 150 mg CaO per g of anhydrous material.

15

Organic builders that may be present include polycarboxylate polymers such as polyacrylates, acrylic/maleic copolymers, and acrylic phosphinates; monomeric polycarboxylates such as citrates, gluconates, oxydisuccinates, glycerol mono-, di and trisuccinates, carboxymethyloxy succinates, carboxymethyloxymalonates, dipicolinates, hydroxyethyliminodiacetates, alkyl- and alkenylmalonates and succinates; and sulphonated fatty acid salts. This list is not intended to be exhaustive.

20

Especially preferred organic builders are citrates, suitably used in amounts of from 5 to 30 wt%, preferably from 10 to 25 wt%; and acrylic polymers, more especially acrylic/maleic copolymers, suitably used in amounts of from 0.5 to 15 wt%, preferably from 1 to 10 wt%.

25

Builders, both inorganic and organic, are preferably present in alkali metal salt, especially sodium salt, form.

Compositions according to the invention may also suitably contain a bleach system.

- 5 Fabric washing compositions may desirably contain peroxy bleach compounds, for example, inorganic persalts or organic peroxyacids, capable of yielding hydrogen peroxide in aqueous solution.

- Suitable peroxy bleach compounds include organic peroxides such as urea peroxide, and
10 inorganic persalts such as the alkali metal perborates, percarbonates, perphosphates, persilicates and persulphates. Preferred inorganic persalts are sodium perborate monohydrate and tetrahydrate, and sodium percarbonate.

- Especially preferred is sodium percarbonate having a protective coating against
15 destabilisation by moisture. Sodium percarbonate having a protective coating comprising sodium metaborate and sodium silicate is disclosed in GB 2 123 044B (Kao).

- The peroxy bleach compound is suitably present in an amount of from 0.1 to 35 wt%, preferably from 0.5 to 25 wt%. The peroxy bleach compound may be used in
20 conjunction with a bleach activator (bleach precursor) to improve bleaching action at low wash temperatures. The bleach precursor is suitably present in an amount of from 0.1 to 8 wt%, preferably from 0.5 to 5 wt%.

- Preferred bleach precursors are peroxycarboxylic acid precursors, more especially
25 peracetic acid precursors and peroxoanoic acid precursors. Especially preferred bleach precursors suitable for use in the present invention are N,N,N',N',-tetracetyl ethylenediamine (TAED) and sodium noanoyloxybenzene sulphonate (SNOBS). The novel quaternary ammonium and phosphonium bleach precursors disclosed in US 4 751 015 and US 4 818 426 (Lever Brothers Company) and EP 402 971A (Unilever), and the

cationic bleach precursors disclosed in EP 284 292A and EP 303 520A (Kao) are also of interest.

The bleach system can be either supplemented with or replaced by a peroxyacid.

5 examples of such peracids can be found in US 4 686 063 and US 5 397 501 (Unilever). A preferred example is the imido peroxy-carboxylic class of peracids described in EP A 325 288, EP A 349 940, DE 382 3172 and EP 325 289. A particularly preferred example is phthalimido peroxy caproic acid (PAP). Such peracids are suitably present at 0.1 - 12%, preferably 0.5 - 10%.

10

A bleach stabiliser (transition metal sequestrant) may also be present. Suitable bleach stabilisers include ethylenediamine tetra-acetate (EDTA), the polyphosphonates such as Dequest (Trade Mark) and non-phosphate stabilisers such as EDDS (ethylene diamine di-succinic acid). These bleach stabilisers are also useful for stain removal especially in
15 products containing low levels of bleaching species or no bleaching species.

An especially preferred bleach system comprises a peroxy bleach compound (preferably sodium percarbonate optionally together with a bleach activator), and a transition metal bleach catalyst as described and claimed in EP 458 397A, EP 458 398A and EP 509
20 787A (Unilever).

The compositions according to the invention may also contain one or more enzyme(s). Suitable enzymes include the proteases, amylases, cellulases, oxidases, peroxidases and lipases usable for incorporation in detergent compositions. Preferred proteolytic
25 enzymes (proteases) are, catalytically active protein materials which degrade or alter protein types of stains when present as in fabric stains in a hydrolysis reaction. They may be of any suitable origin, such as vegetable, animal, bacterial or yeast origin.

Proteolytic enzymes or proteases of various qualities and origins and having activity in
30 various pH ranges of from 4-12 are available and can be used in the instant invention.

Examples of suitable proteolytic enzymes are the subtilins which are obtained from particular strains of B. Subtilis B. licheniformis, such as the commercially available subtilisins Maxatase (Trade Mark), as supplied by Gist Brocades N.V., Delft, Holland, and Alcalase (Trade Mark), as supplied by Novo Industri A/S, Copenhagen, Denmark.

5

Particularly suitable is a protease obtained from a strain of Bacillus having maximum activity throughout the pH range of 8-12, being commercially available, e.g. from Novo Industri A/S under the registered trade-names Esperase (Trade Mark) and Savinase (Trade-Mark). The preparation of these and analogous enzymes is described in GB 1 243 785. Other commercial proteases are Kazusase (Trade Mark obtainable from Showa-Denko of Japan), Optimase (Trade Mark from Miles Kali-Chemie, Hannover, West Germany), and Superase (Trade Mark obtainable from Pfizer of U.S.A.).

10

Detergency enzymes are commonly employed in granular form in amounts of from about 0.1 to about 3.0 wt%. However, any suitable physical form of enzyme may be used.

15

The compositions of the invention may contain alkali metal, preferably sodium carbonate, in order to increase detergency and ease processing. Sodium carbonate may suitably be present in amounts ranging from 1 to 60 wt%, preferably from 2 to 40 wt%.

However, compositions containing little or no sodium carbonate are also within the scope of the invention.

20

Powder flow may be improved by the incorporation of a small amount of a powder structurant, for example, a fatty acid (or fatty acid soap), a sugar, an acrylate or acrylate/maleate copolymer, or sodium silicate. One preferred powder structurant is fatty acid soap, suitably present in an amount of from 1 to 5 wt%.

25

Other materials that may be present in detergent compositions of the invention include sodium silicate; antiredeposition agents such as cellulosic polymers; soil release polymers; inorganic salts such as sodium sulphate; lather control agents or lather boosters

30

as appropriate; proteolytic and lipolytic enzymes; dyes; coloured speckles; perfumes; foam controllers; fluorescers and decoupling polymers. This list is not intended to be exhaustive. However, many of these ingredients will be better delivered as benefit agent groups in materials according to the first aspect of the invention.

5

The detergent composition when diluted in the wash liquor (during a typical wash cycle) will typically give a pH of the wash liquor from 7 to 10.5 for a main wash detergent.

- 10 Particulate detergent compositions are suitably prepared by spray-drying a slurry of compatible heat-insensitive ingredients, and then spraying on or post-dosing those ingredients unsuitable for processing via the slurry. The skilled detergent formulator will have no difficulty in deciding which ingredients should be included in the slurry and which should not.

15

Particulate detergent compositions of the invention preferably have a bulk density of at least 400 g/l, more preferably at least 500 g/l. Especially preferred compositions have bulk densities of at least 650 g/litre, more preferably at least 700 g/litre.

- 20 Such powders may be prepared either by post-tower densification of spray-dried powder, or by wholly non-tower methods such as dry mixing and granulation; in both cases a high-speed mixer/granulator may advantageously be used. Processes using high-speed mixer/granulators are disclosed, for example, in EP 340 013A, EP 367 339A, EP 390 251A and EP 420 317A (Unilever).

25

Liquid detergent compositions can be prepared by admixing the essential and optional ingredients thereof in any desired order to provide compositions containing components in the requisite concentrations. Liquid compositions according to the present invention can also be in compact form which means it will contain a lower level of water

- 30 compared to a conventional liquid detergent.

Treatment

The treatment of the fabric with the material of the invention can be made by any
5 suitable method such as washing, soaking or rinsing of the fabric.

Typically the treatment will involve a washing or rinsing method such as treatment in
the main wash or rinse cycle of a washing machine and involves contacting the fabric
with an aqueous medium comprising the material of the invention.

10

The present invention will now be explained in more detail by reference to the
following non-limiting examples:-

Example 1 : Preparation of carboxymethyl cellulose with pendant fluorescer

15 groups

Carboxymethylcellulose (medium viscosity) (2g) was dissolved in water (100ml) and
the pH of the solution was adjusted to 5. Then in a blacked out apparatus, cyanuric
chloride (1g) was added dropwise at 5 °C over a slow stream of nitrogen. The reaction
20 mixture was stirred for one hour at this temperature. It was then allowed to rise to
ambient temperature and then an aqueous suspension of 4-4'-bis[4-amino-6-(4-
carboxyethylanylino)-s-triazine-2-yl)amino]2,2'-stilbenedisulphonic acid disodium salt
(a fluorescent molecule) (0.2g) was added dropwise over 5 minutes period. After the
addition was complete, the temperature was raised to 40 °C and the reaction mixture
25 was stirred overnight at this temperature. The reaction product was transferred to a
blacked out crystallising dish and freeze dried. This produced a fluorescent
functionalised SCMC.

This material was found by analysis to have a degree of substitution and regions of
30 consecutive ring unsubstitution within claim 1.

Example 2: Preparation of Guar Gum with pendant UV absorber groups

2g Guar gum was dissolved in 1 litre of rapidly stirred hot distilled water. The solution
5 was allowed to cool to room temperature. 0.01g sodium periodate in 50 ml distilled
water as added to the guar gum solution and stirred for 72 hours.

100ml of the oxidised guar gum solution was acidified to pH 6 and 0.2 gram p-
nitrophenyl hydrazine (a UV absorber) in 5ml methanol in was added. The solution was
10 stirred for 48 hours.

Precipitating the aqueous solution into ethanol purified the polymer. The precipitate
was filtered off and re-dissolved in distilled water without drying. This process was
repeated three times. The purified polymer was dissolved in distilled water and the solid
15 content determined. The level of p-nitrophenyl hydrazine was determined by UV/vis
spectroscopy.

This material was found by analysis to have a degree of substitution and regions of
consecutive ring unsubstitution within claim 1.
20

Example 3: Performance Evaluation - Deposition onto white cotton

A stock solution comprising of 0.05g surfactant, 0.02g (1.86%tag) of the substituted
polymer of Example 1 was made up to 100ml using 0.01M sodium bicarbonate. Three
25 systems were evaluated, 100%LAS, 75%LAS/25% Synperonic A7 and when no
surfactant was used.

Mercerised white cotton (1gram) was washed in 10ml stock solution at 40°C for 30
minutes. After the wash period, excess liquor was removed by spin-drying. The amount

of tagged polymer in solution after washing determined by UV/vis spectroscopy at 390nm using the stock solution as reference.

The following Table shows that build up of the polymer milligrams per gram of cotton

5 fabric over a number of wash cycles.

Number of washes	100% LAS	75% LAS / 25% A7	No surfactant
	mg polymer per gram cotton		
0	0	0	0
1	0.016	-0.005	0.485
2	0.13	0.187	0.745
3	0.162	0.277	0.855
4	0.23	0.497	1.049
5	0.457	0.722	1.068

The composition examples 4-15, were each prepared in two variants, the "Polymer"

10 being either the product of Example 1 or the product of Example 2.

Example 4 : Spray-Dried Powder

	<u>Component</u>	<u>% w/w</u>
5	Na PAS	11.5
	Dobanol 25-7	6.3
	Soap	2.0
	Zeolite	24.1
10	SCMC	0.6
	Na Citrate	10.6
	Na Carbonate	23.0
	Polymer	4.0
	Silicone Oil	0.5
15	Dequest 2066	0.4
	Sokalan CP5	0.9
	Savinase 16L	0.7
	Lipolase	0.1
	Perfume	0.4
20	Water/salts	to 100

Example 5 : Detergent Granulate Prepared by Non-Spray Drying Method

The following composition was prepared by the two-stage mechanical granulation
5 method described in EP-A- 367 339.

	<u>Component</u>	<u>% w/w</u>
	NaPAS	13.5
10	Dobanol 25-7	2.5
	STPP	45.3
	Na Carbonate	4.0
	Polymer	3.8
	Na Silicate	10.1
15	Minors	1.5
	Water	balance

Example 6 : Isotropic Laundry Liquid

	<u>Component</u>	<u>% w/w</u>
5	Na-citrate (37.5%)	10.7
	Propyleneglycol	7.5
	Ethylene Glycol	4.5
	Borax	3.0
	Savinase 16L	0.3
10	Lipolase	0.1
	Polymer	3.5
	Monoethanolamine	0.5
	Cocofatty acid	1.7
	NaOH (50%)	2.2
15	LAS	10.3
	Dobanol 25-7	6.3
	LES	7.6
	Minors	1.3
	(adjust pH to 7 with NaOH)	
20	Water	up to 100

Example 7 : Structured Laundry Liquid

	<u>Component</u>	<u>% w/w</u>
5	LAS	16.5
	Dobanol 25-7	9
	Oleic acid (Priolene 6907)	4.5
	Zeolite	15
	KOH, neutralisation of acids and pH to 8.5	
10	Citric acid	8.2
	deflocculating polymer	1
	Protease	0.38
	Lipolase	0.2
	Polymer	2.0
15	Minors	0.4
	Water	to 100%

- 34 -

Component	Ex.8	Ex.9	Ex.10	% w/w	Ex.11	Ex.12	Ex.13	Ex.14	Ex.15
Na alcohol EO sulphate	0.0	0.0	0.0		0.0	0.0	0.0	0.0	13.3
linear alkylbenzenesulfonate, Na salt (LAS)	5.1	5.9	5.8		7.3	8.2	9.9	23.7	7.6
sodium stearate	0.0	0.3	0.3		0.3	1.0	1.2	0.0	0.0
fatty acid	1.7	0.3	0.3		0.4	0.0	0.0	0.0	0.0
alcohol ethoxylate 9EO	0.0	0.0	0.0		0.0	0.0	0.0	0.0	7.6
alcohol ethoxylate 7EO branched	2.5	3.9	3.9		4.8	4.3	5.2	0.0	0.0
alcohol ethoxylate 3EO branched	3.4	2.9	2.9		3.6	2.3	2.8	0.0	0.0
sodium citrate	0.0	0.0	0.0		0.0	3.3	7.4	0.0	4.8
propylene glycol	0.0	0.0	0.0		0.0	0.0	0.0	0.0	6.4
sorbitol	0.0	0.0	0.0		0.0	0.0	0.0	0.0	4.3
sodium borate	0.0	0.0	0.0		0.0	0.0	0.0	0.0	2.9
sodium silicate	0.4	5.9	5.8		7.3	1.5	0.0	7.9	0.0
sodium carbonate	17.6	9.0	12.0		12.4	9.2	17.5	17.3	0.0
sodium bicarbonate	0.0	0.0	0.0		6.1	0.9	3.8	0.0	0.0
sodium sulphate	19.8	16.2	13.9		16.3	0.0	0.0	26.1	0.0
STPP	0.0	22.1	22.1		27.4	0.0	0.0	14.3	0.0
zeolite A24 (anhydrous)	19.8	0.0	0.0		0.0	28.0	33.8	0.0	0.0
sodium perborate tetrahydrate	11.7	17.9	17.8		0.0	0.0	0.0	0.0	0.0
coated percarbonate 13.5 avOx	0.0	0.0	0.0		0.0	18.0	0.0	0.0	0.0
TAED granule (83%)	2.1	2.0	2.0		0.0	5.2	0.0	0.0	0.0
minors	5.9	3.8	3.2		4.2	8.0	8.3	0.8	1.2
water	0.0	0.0	0.0		0.0	0.0	0.0	0.0	46.9
polymer	10.0	10.0	10.0		10.0	10.0	10.0	10.0	5.0
TOTAL:	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0

Raw Material Specification

	<u>Component</u>	<u>Specification</u>
5	Polymer	The material of Example 1
	LAS	Linear Alkyl Benzene Sulphonic-acid, Marlon AS3, ex Huls
	Na-LAS	LAS-acid neutralised with NaOH
	Dobanol 25-7	C12-15 ethoxylated alcohol, 7EO, ex Shell
	LES	Lauryl Ether Sulphate, Dobanol 25-S3, ex Shell
10	Zeolite	Wessalith P, ex Degussa
	STPP	Sodium Tri PolyPhosphate, Thermphos NW, ex Hoechst
	Dequest 2066	Metal chelating agent, ex Monsanto
	Silicone oil	Antifoam, DB 100, ex Dow Corning
	Tinopal CBS-X	Fluorescer, ex Ciba-Geigy
15	Lipolase	Type 100L, ex Novo
	Savinase 16L	Protease, ex Novo
	Sokalan CP5	Acrylic/Meleic Builder Polymer ex BASF
	Deflocculating Polymer	Polymer A-I-I disclosed in EP-A- 346 995
	SCMC	Sodium Carboxymethyl Cellulose

CLAIMS:

1. A water-soluble or water-dispersible material for deposition onto a fabric substrate during a wash and/or rinse and/or drying process, wherein the material comprises a β_{1-4} -linked polysaccharide structure having at least one substituent benefit agent group and optionally, one or more other substituent groups, wherein the average degree of substitution of all substituent groups is from 0.01 to 1.2, preferably from 0.1 to 1.2, more preferably from 0.4 to 1.2, the polysaccharide structure having one or more regions with at least 3, preferably at least 4 consecutive unsubstituted saccharide rings.
2. A material according to claim 1, wherein at least 5% of the saccharide rings are in said consecutive unsubstituted region(s).
3. A material according to either preceding claim, wherein no more than 50% of the saccharide rings are in said consecutive unsubstituted regions.
4. A material according to any preceding claim, wherein at least 80% of said unsubstituted regions have no more than 100, preferably no more than 50 consecutive unsubstituted saccharide rings.
5. A material according to any preceding claim, wherein the benefit agent group(s) is/are selected from:-
 - (a) fabric softening and/or conditioning agents;
 - (b) lubricants for inhibition of fibre damage and/or for colour care and/or for crease reduction and/or for ease of ironing;
 - (c) UV absorbers such as fluorescers and photofading inhibitors, for example sunscreens/UV inhibitors and/or anti-oxidants;
 - (d) fungicides, insect repellents and/or insecticides; and
 - (e) perfumes.

6. A material according to any preceding claim, wherein from 0% to 65%, preferably from 0% to 10% of the number of total pendant groups are other than benefit agent groups.
- 5 7. A material according to claim 6, wherein from 0% to 20%, preferably from 0% to 10%, more preferably from 0% to 5% of the other groups are water solubilising groups.
- 10 8. A method of depositing a benefit agent onto a fabric substrate by treating the fabric with a material according to any preceding claim.
9. A composition comprising a material as according to any one of claims 1 to 7 and least one further component.
- 15 10. A composition according to claim 9, in which the further component comprises a surfactant.
- 20 11. A composition according to claim 9 or claim 10, comprising from 0.01% to 25%, preferably from 0.5% to 20%, more preferably from 1% to 15% by weight of the material according to any of claims 1-7.

INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/EP 99/07424

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 C11D3/22 D06M15/03 D06M15/05

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D D06M A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 95 00614 A (KAO CORP) 5 January 1995 (1995-01-05) claims 1,12-20 examples page 17, paragraph 3 -page 23, paragraph 2 ---	1-11
A	WO 98 29528 A (PROCTER & GAMBLE) 9 July 1998 (1998-07-09) cited in the application claims examples page 2, paragraph 2 page 6, paragraph 2 -page 9, paragraph 3 --- -/--	1-11

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

13 January 2000

Date of mailing of the international search report

25. 02. 2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
 Fax: (+31-70) 340-3016

Authorized officer

Neys, P

INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/EP 99/07424

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, A	<p>WO 99 36469 A (UNILEVER) 22 July 1999 (1999-07-22) cited in the application claims examples page 5, paragraph 4 -page 6, column 1 page 8, paragraph 3 -page 9, paragraph 2 -----</p>	1-11
A	<p>EP 0 093 601 A (UNILEVER NV) 9 November 1983 (1983-11-09) claims 1-6, 11, 12 example 13 page 3, paragraph 4 -page 6, paragraph 1 -----</p>	1-11
A	<p>WO 98 00500 A (UNILEVER) 8 January 1998 (1998-01-08) cited in the application claims page 8, line 6 -page 17, line 3 -----</p>	1, 5, 8-11

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 99/07424

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 1,8 relate to a compound defined by reference to a desirable characteristic or property, namely being a 'benefit agent'.

The claims cover all compounds having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compound by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been carried out for those parts of the claims which appear to be clear, supported and disclosed, namely those parts relating to the compounds as they appear in claim 5 and more precisely as they are specified in the description (p7 ln 19 to p17 ln 17) and in the examples 1,2 .

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/EP 99/07424

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9500614 A	05-01-1995	JP 7003645 A EP 0656048 A US 5498350 A	06-01-1995 07-06-1995 12-03-1996
WO 9829528 A	09-07-1998	EP 0948591 A	13-10-1999
WO 9936469 A	22-07-1999	AU 2515099 A	02-08-1999
EP 0093601 A	09-11-1983	AT 30169 T AU 546461 B AU 1398983 A BR 8302154 A CA 1203141 A DE 3374018 A ES 521934 A GB 2122214 A,B JP 1319715 C JP 58196300 A JP 60046158 B MY 11887 A NZ 203999 A PH 18615 A PT 76615 A,B US 5037818 A ZA 8302967 A	15-10-1987 05-09-1985 03-11-1983 27-12-1983 15-04-1986 12-11-1987 01-07-1984 11-01-1984 29-05-1986 15-11-1983 14-10-1985 31-12-1987 13-12-1985 21-08-1985 01-05-1983 06-08-1991 28-11-1984
WO 9800500 A	08-01-1998	AU 3438197 A	21-01-1998